



**RK Racing Chains** have been the dominating factor for more FIM World Championship teams and AMA World Superbike/Super Sport Teams than any other chain in the past 24 years!

- Pre-stressed - for maximum performance
- Pre-stretched - for long life
- Applications for virtually all on & off-road applications

### SPORTBIKE / STREET / ROADRACE

All RK Sealed O-ring type chains feature heat treated hi-carbon alloy steel components with seamless rollers and shouldered bushings, and are fitted with a variety of O-ring seal designs. All RK O-ring seals are made from an advanced Nitrile Butadiene composite for maximum performance and wear life.

### OFFROAD / MX / SX

All RK Motocross chains utilize special heat treated hi-carbon steel components with solid rollers and bushings. New GB520MXU SEALED MX/SX chain now available!

### RK-M Chains offer you Japanese technology, steel and quality at Malaysian prices!

All RK-M Chains are solid roller design and are constructed in Malaysia under strict technical license from RK Excel Japan. With RK-M there's no need to buy inferior Taiwanese products at higher costs.

RK-M is the chain of choice for OEM's like Honda, Kawasaki, Suzuki and Yamaha who have factories in Malaysia.

**RK-M Chains = Quality & Value at affordable prices.**



## RK CHAIN GUIDE CHART

	PIN LENGTH MM	INNER MM	PLATE THICKNESS OUTER MM	MAXIMUM WEAR LIFE **INDEX	TENSILE STRENGTH LBS/ PER FT	CLIP OR RIVET	WEIGHT LBS /100 LINKS	MAX cc STREET / OFF-ROAD
<b>STANDARD</b>								
415 RK-M	13.05	1.45	1.45	100	3,520	CLIP	1.47	50/50
420 RK-M	14.80	1.5	1.5	100	4,200	CLIP	1.60	80/80
428 RK-M	16.85	1.5	1.5	100	4,500	CLIP	1.85	125/80
520 RK-M	17.25	2.0	2.0	100	6,800	CLIP	3.15	250/125
525 RK-M	18.70	2.0	2.0	100	6,800	CLIP	3.38	300/NA
530 RK-M	20.45	2.0	2.0	100	6,800	CLIP	3.60	350/NA
<b>HEAVY DUTY</b>								
GB415HR RS125 Race	13.65	1.45	1.5	300	4,800	CLIP	1.51	125/NA
420MXZ & GB MX Race	15.70	1.8	1.45	300	5,000	CLIP	1.76	150/125
428MXZ & GB MX Race	17.60	1.8	1.8	300	5,800	CLIP	2.13	250/125
428 RK-M HD	18.75	2.0	2.0	200	5,400	CLIP	2.26	200/125
520 RK-M HD	18.80	2.3	2.3	200	7,700	CLIP	3.65	400/250
520KZ6 & GB MX Econo	18.15	2.0	2.0	200	7,900	CLIP	3.15	600/250
520MXZ4 & GB MX Race	17.65	2.0	2.0	300	8,800	CLIP	3.24	NA/500
525 RK-M HD	20.35	2.3	2.3	200	7,700	CLIP	3.85	500/NA
530KS Street HD	20.85	2.0	2.0	200	8,000	CLIP	3.75	600/NA
530 RK-M HD	22.00	2.3	2.3	200	7,700	CLIP	4.09	500/NA
530DR Drag Racing	23.35	2.6	2.4	250	10,400	CLIP	5.12	1500 Drag
<b>STANDARD O-Ring:</b>								
420SO Off-Road	17.05	1.45	1.45	400	4,420	CLIP	1.72	125/125
428SO Off-Road	20.05	1.8	1.8	400	5,500	CLIP	2.26	250/200
520SO Off-Road/ATV Econo	19.90	2.0	2.0	600	7,700	CLIP	4.08	400/400
630SO Street	25.65	2.4	2.4	800	11,100	RIVET	6.50	1300/NA
<b>PERFORMANCE RX-Ring:</b>								
520XS0 & GB Street & Sport	19.90	2.0	2.0	750	8,500	CLIP	3.36	75/750
525XS0 & GB Street & Sport	22.85	2.4	2.3	750	8,850	RIVET	4.30	900/750
530XS0Z1 & GB Street & Sport	24.90	2.4	2.4	750	9,200	RIVET	5.06	1000/750
<b>HIGH PERFORMANCE UW-Ring:</b>								
GB520MXU SX/MX	18.00	2.0	1.75	9000	9,000	CLIP	3.00	NA/500
<b>ULTRA XW-Ring:</b>								
520EXW & GB ATV & Offroad	20.80	2.0	2.0	1000	8,500	CLIP	3.36	400/750
520GXW & GB Sport & Race	20.80	2.2	2.2	1000	8,800	RIVET	3.75	1000/750
525GXW & GB Sport & Race	22.85	2.4	2.3	1000	9,300	RIVET	4.30	1100/800
530GXW & GB Sport & Race	24.90	2.4	2.4	1000	10,000	RIVET	4.63	1400/900
532GSV Sportbike	24.90	2.4	2.4	1000	9,200	CLIP	4.92	1300/NA
630GSV Sportbike	25.00	2.4	2.4	1000	11,300	RIVET	6.44	1400/NA

GB = Bright Gold Inner / Outer Plates.

Specifications:

40 Series = 24.0 Links per foot. 12.7mm Pin to Pin center.  
50 Series = 19.2 Links per foot. 15.875mm Pin to Pin center.

60 Series = 16.0 Links per foot. 19.05mm Pin to Pin center

\*\*Index: 100 Rating is Standard  
NA= Not Applicable

## O-RING TECHNICAL SPECIFICATIONS

### Standard O-Ring



### STANDARD O-RING:

View diagram at right in closer detail to compare the lubrication provided by a standard O-ring and the superior lubrication provided by RK's **RX & XW-rings**. *You can see the difference!*

### RX-Ring Design



### "RX"-RING DESIGN & FEATURES:

RK's **"RX-ring"** chains feature an X-ring shaped seal. Viewed in cross-section, the **"X-ring"** has two lubrication pools and seal points versus the single seal point/pool design of a regular o-ring chain.

**"RX-ring"** technology offers less torsional friction, increased high-stress performance, and a **30% longer wear life** compared to standard o-ring chains. RK's new **"RX-ring"** chains offer tremendous value, plus true quality and performance for all but the most demanding high performance applications.

### XW-Ring Design



### "XW"-RING DESIGN & FEATURES:

The **"XW-ring"** is made of an advanced Nitrile Butadiene composite and features three contact lips and two convex outer stabilizers. This means **three lubrication pools** to protect against high speed abrasion, extreme heat build up, torsional flex and loss of lubricant. Nitrile Butadiene composite is oil and contaminant resistant, and the **"XW"** seal design is compression and distortion resistant to provide the **ultimate** in efficiency and performance with absolutely no o-ring drag. The **"XW-ring"** provides the user with a 50% longer wear life than basic o-ring chains.

### UW-RING Design



### "UW"-RING DESIGN & FEATURES:

UW-sealing rings chains are designed to provide the most consistent power delivery and increased chain life using the thinnest profile possible. **"UW-rings"** are constructed of oil and contaminant resistant Nitrile Butadiene composite. The weight of the **"UW-ring"** is almost identical to that of non-sealed chains. *Designed for high performance competition level motocross/off-road applications with limited clearance.*



CHAIN & SPROCKETS

### Inner Sideplate

### Roller

### "O"-Ring

### Pin

### Bushing

### Outer Sideplate

### Inner Sideplate

### Roller

### "XW"-Ring

### Pin

### Bushing

### Outer Sideplate

## RK CHAINS

Chains are also stocked in ROLLS and can be cut to ANY length!

### 415 CHAIN

#### RK-M 415H

##### Heavy Duty

PART#	LENGTH	RTL
34-0360	110 Links	\$10.25

### 420 CHAIN

#### RK-M 420 - Standard

PART#	LENGTH	RTL
34-1140	90 Links	\$9.57
34-1156	106 Links	\$11.25
34-1160	110 Links	\$11.68
34-1166	116 Links	\$12.32
34-1168	118 Links	\$12.53
34-1170	120 Links	\$12.75
34-1176	126 Links	\$13.38
34-1180	130 Links	\$13.82
34-1182	132 Links	\$14.03
34-1195	50' Roll	\$127.50
34-1197	100' Roll	\$247.37
34-9011	Clip Link	\$0.75

#### GB420MXZ Gold

##### Heavy Duty MX Race

PART#	LENGTH	RTL
36-1456	106 Links	\$31.43
36-1460	110 Links	\$32.62
36-1464	114 Links	\$33.82
36-1466	116 Links	\$34.40
36-1468	118 Links	\$35.03
36-1470	120 Links	\$35.60
36-1474	124 Links	\$36.78
36-1476	126 Links	\$37.37
36-1478	128 Links	\$37.97
36-1480	130 Links	\$38.55
36-1482	132 Links	\$39.15
36-1495	50' Roll	\$355.95
36-1497	100' Roll	\$690.38
36-9014	Clip Link	\$1.77

### 420SO

#### Standard O-Ring

PART#	LENGTH	RTL
36-1560	110 Links	\$66.80
36-1562	112 Links	\$68.00
36-1564	114 Links	\$69.23
36-1566	116 Links	\$70.43
36-1568	118 Links	\$71.63
36-1570	120 Links	\$72.85
36-1580	130 Links	\$78.92
36-1582	132 Links	\$80.17
36-1595	50' Roll	\$728.78
36-1597	100' Roll	\$1,413.62
36-9015	Clip Link	\$2.88

### 428 CHAIN

#### RK-M 428

##### Standard

PART#	LENGTH	RTL
34-2136	86 Links	\$11.05
34-2154	104 Links	\$13.38
34-2160	110 Links	\$14.15
34-2162	112 Links	\$14.42
34-2164	114 Links	\$14.68
34-2166	116 Links	\$14.93
34-2168	118 Links	\$15.20
34-2170	120 Links	\$15.45
34-2176	126 Links	\$16.23
34-2180	130 Links	\$16.73
34-2182	132 Links	\$17.00
34-2195	50' Roll	\$154.50
34-2197	100' Roll	\$299.65
34-9021	Clip Link	\$0.87

#### RK-M 428

##### Heavy Duty

PART#	LENGTH	RTL
34-2352	102 Links	\$15.62
34-2358	108 Links	\$16.53
34-2360	110 Links	\$16.83
34-2364	114 Links	\$17.47
34-2366	116 Links	\$17.75
34-2368	118 Links	\$18.07
34-2370	120 Links	\$18.38
34-2372	122 Links	\$18.68
34-2374	124 Links	\$18.98
34-2376	126 Links	\$19.28
34-2380	130 Links	\$19.90
34-2382	132 Links	\$20.22
34-2395	50' Roll	\$183.75
34-2397	100' Roll	\$356.47
34-9023	Clip Link	\$0.87

### GB428MXZ Gold

#### Heavy Duty MX Race

PART#	LENGTH	RTL
36-2460	110 Links	\$37.05
36-2466	116 Links	\$39.10
36-2468	118 Links	\$39.78
36-2470	120 Links	\$40.45
36-2474	124 Links	\$41.78
36-2480	130 Links	\$43.83
36-2482	132 Links	\$44.47
36-2484	134 Links	\$45.13
36-2495	50' Roll	\$404.55
36-2497	100' Roll	\$784.52
36-9024	Clip Link	\$2.27

### 428SO

#### Standard O-Ring

PART#	LENGTH	RTL
36-2550	100 Links	\$66.90
36-2552	102 Links	\$68.25
36-2554	104 Links	\$69.60
36-2556	106 Links	\$70.93
36-2558	108 Links	\$72.25
36-2560	110 Links	\$73.60
36-2562	112 Links	\$74.93
36-2564	114 Links	\$76.28
36-2566	116 Links	\$77.63
36-2568	118 Links	\$78.98
36-2570	120 Links	\$80.28
36-2572	122 Links	\$81.63
36-2574	124 Links	\$82.98
36-2576	126 Links	\$84.28
36-2578	128 Links	\$85.63
36-2580	130 Links	\$86.98
36-2582	132 Links	\$88.32
36-2584	134 Links	\$89.63
36-2586	136 Links	\$91.02
36-2593	25' Roll	\$401.48
36-2595	50' Roll	\$802.92
36-2597	100' Roll	\$1,557.60
36-9025	Clip Link	\$3.98
36-9225	Rivet Link	\$5.12

### INDEX

DEALER SUPPORT

HELMETS

MX APPAREL

GOGGLES & EYEWEAR

MX /ATV EQUIPMENT

HANDLEBARS & GRIPS

STREET ACCESSORIES

STREET APPAREL

CHAIN & SPROCKETS

BRAKES & ROTORS

CLUTCHES

SUSPENSION

MIRRORS

MANUALS

LUGGAGE

CHEMICALS & LUBES

MISC.

TIE DOWNS

SECURITY


ELECTRICAL

FILTERS

EXHAUST

TIRE & WHEEL

ORDER SHEET



## RK CHAINS

Chains are also stocked in ROLLS and can be cut to ANY length!

## 520 CHAIN

## RK-M 520

## Standard

PART#	LENGTH	RTL
34-3114	64 Links	\$14.93
34-3120	70 Links	\$16.35
34-3132	82 Links	\$19.15
34-3134	84 Links	\$19.60
34-3136	86 Links	\$20.10
34-3138	88 Links	\$20.55
34-3140	90 Links	\$21.02
34-3142	92 Links	\$21.50
34-3144	94 Links	\$21.95
34-3146	96 Links	\$22.42
34-3148	98 Links	\$22.88
34-3150	100 Links	\$23.35
34-3152	102 Links	\$23.80
34-3154	104 Links	\$24.30
34-3156	106 Links	\$24.75
34-3158	108 Links	\$25.22
34-3160	110 Links	\$25.70
34-3162	112 Links	\$26.17
34-3164	114 Links	\$26.62
34-3166	116 Links	\$27.08
34-3168	118 Links	\$27.55
34-3170	120 Links	\$28.02
34-3195	50' Roll	\$224.17
34-3197	100' Roll	\$434.92
34-9031	Clip Link	\$1.13

## RK-M 520H

## Heavy Duty

PART#	LENGTH	RTL
34-3350	100 Links	\$26.42
34-3358	108 Links	\$28.55
34-3360	110 Links	\$29.05
34-3362	112 Links	\$29.58
34-3364	114 Links	\$30.12
34-3366	116 Links	\$30.65
34-3368	118 Links	\$31.18
34-3370	120 Links	\$31.72
34-3380	130 Links	\$34.33
34-3395	50' Roll	\$253.68
34-3397	100' Roll	\$492.07
34-9033	Clip Link	\$1.45

## 520KZ(6) Excellent Value!

## Heavy Duty MX Race

PART#	LENGTH	RTL
36-3336	86 Links	\$36.23
36-3340	90 Links	\$37.92
36-3344	94 Links	\$39.62
36-3346	96 Links	\$40.45
36-3350	100 Links	\$42.13
36-3352	102 Links	\$42.98
36-3354	104 Links	\$43.83
36-3356	106 Links	\$44.67
36-3358	108 Links	\$45.52
36-3360	110 Links	\$46.35
36-3362	112 Links	\$47.18
36-3364	114 Links	\$48.03
36-3366	116 Links	\$48.85
36-3368	118 Links	\$49.75
36-3370	120 Links	\$50.57
36-3380	130 Links	\$54.78
36-3382	132 Links	\$55.62
36-3395	50' Roll	\$404.52
36-3397	100' Roll	\$784.75
36-9033	Clip Link	\$1.73
36-9233	Rivet Link	\$2.02

## GB520KZ(6) Gold

## Heavy Duty MX Race

PART#	LENGTH	RTL
36-2944	94 Links	\$45.48
36-2950	100 Links	\$48.38
36-2954	104 Links	\$50.32
36-2960	110 Links	\$53.20
36-2962	112 Links	\$54.20
36-2964	114 Links	\$55.15
36-2966	116 Links	\$56.10
36-2968	118 Links	\$57.08
36-2970	120 Links	\$58.05
36-2997	100' Roll	\$900.98
36-9029	Clip Link	\$2.05

## GB520MXZ(4) Gold

## Heavy Duty MX Race

PART#	LENGTH	RTL
36-2752	102 Links	\$82.77
36-2760	110 Links	\$89.28
36-2762	112 Links	\$90.90
36-2764	114 Links	\$92.55
36-2766	116 Links	\$94.15
36-2768	118 Links	\$95.73
36-2770	120 Links	\$97.38
36-2795	50' Roll	\$779.10
36-2797	100' Roll	\$1,511.38
36-9027	Clip Link	\$2.57

## 520SO Best Value!

## Standard O-Ring

PART#	LENGTH	RTL
36-3842	92 Links	\$51.32
36-3850	100 Links	\$55.75
36-3860	110 Links	\$61.33
36-3862	112 Links	\$62.45
36-3864	114 Links	\$63.57
36-3866	116 Links	\$64.68
36-3868	118 Links	\$65.78
36-3870	120 Links	\$66.90
36-3878	128 Links	\$71.35
36-3895	50' Roll	\$535.20
36-3897	100' Roll	\$1,038.42
36-9038	Clip Link	\$4.73
36-9238	Rivet Link	\$3.25

## 520XS0

## High Performance RX-Ring

PART#	LENGTH	RTL
36-3528	78 Links	\$65.23
36-3532	82 Links	\$68.57
36-3534	84 Links	\$70.23
36-3536	86 Links	\$71.93
36-3538	88 Links	\$73.58
36-3540	90 Links	\$75.27
36-3542	92 Links	\$76.92
36-3544	94 Links	\$78.62
36-3546	96 Links	\$80.28
36-3548	98 Links	\$81.95
36-3550	100 Links	\$83.63
36-3552	102 Links	\$85.30
36-3554	104 Links	\$86.97
36-3556	106 Links	\$88.63
36-3558	108 Links	\$90.32
36-3560	110 Links	\$91.98
36-3562	112 Links	\$93.68
36-3564	114 Links	\$95.33
36-3566	116 Links	\$97.00
36-3568	118 Links	\$98.67
36-3570	120 Links	\$100.35
36-3572	122 Links	\$102.02
36-3574	124 Links	\$103.70
36-3576	126 Links	\$105.35
36-3578	128 Links	\$107.03
36-3580	130 Links	\$108.70
36-3582	132 Links	\$110.37
36-3590	140 Links	\$117.08
36-3591	150 Links	\$125.43
36-3595	50' Roll	\$802.77
36-3597	100' Roll	\$1,557.38
36-9035	Clip Link	\$4.95
36-9235	Rivet Link	\$6.30

## GB520XS0 Gold

## High Performance

## RX-Ring

PART#	LENGTH	RTL
36-8148	98 Links	\$94.18
36-8150	100 Links	\$96.08
36-8158	108 Links	\$103.77
36-8160	110 Links	\$105.70
36-8162	112 Links	\$107.63
36-8164	114 Links	\$109.58
36-8166	116 Links	\$111.48
36-8168	118 Links	\$113.42
36-8170	120 Links	\$115.32
36-8180	130 Links	\$124.93
36-8190	140 Links	\$134.53
36-8191	150 Links	\$144.18
36-8192	160 Links	\$153.77
36-8195	50' Roll	\$1,230.12
36-8197	100' Roll	\$1,789.80
36-9081	Clip Link	\$5.75
36-9281	Rivet Link	\$7.25

## 520EXW

## Ultra High Performance

## ATV/Off-Road XW-Ring

PART#	LENGTH	RTL
36-7934	84 Links	\$70.23
36-7936	86 Links	\$71.93
36-7938	88 Links	\$73.58
36-7940	90 Links	\$75.27
36-7942	92 Links	\$76.92
36-7944	94 Links	\$78.62
36-7946	96 Links	\$80.28
36-7948	98 Links	\$81.95
36-7950	100 Links	\$83.63
36-7952	102 Links	\$85.30
36-7954	104 Links	\$86.97
36-7956	106 Links	\$88.63
36-7958	108 Links	\$90.32
36-7960	110 Links	\$91.98
36-7962	112 Links	\$93.68
36-7964	114 Links	\$95.33
36-7966	116 Links	\$97.00
36-7968	118 Links	\$98.67
36-7970	120 Links	\$100.35
36-7995	50' Roll	\$802.80
36-7997	100' Roll	\$1,557.38
36-9079	Clip Link	\$4.95
36-9279	Rivet Link	\$6.30

## GB520EXW Gold

## Ultra High Performance

## ATV/Off-Road XW-Ring

PART#	LENGTH	RTL
36-8234	84 Links	\$80.73
36-8236	86 Links	\$82.63
36-8238	88 Links	\$84.57
36-8240	90 Links	\$86.48
36-8242	92 Links	\$88.43
36-8244	94 Links	\$90.32
36-8246	96 Links	\$92.25
36-8248	98 Links	\$94.18
36-8250	100 Links	\$96.08
36-8252	102 Links	\$98.05
36-8254	104 Links	\$99.97
36-8256	106 Links	\$101.90
36-8258	108 Links	\$103.77
36-8260	110 Links	\$105.70
36-8262	112 Links	\$107.63
36-8264	114 Links	\$109.58
36-8266	116 Links	\$111.48
36-8268	118 Links	\$113.42
36-8270	120 Links	\$115.32
36-8295	50' Roll	\$922.57
36-8297	100' Roll	\$1,789.80
36-9082	Clip Link	\$5.75
36-9282	Rivet Link	\$7.25

## GB520MXU Gold

## Ultra High Performance

## MX/SX UW-Ring

PART#	LENGTH	RTL
36-3760	110 Links	\$105.70
36-3762	112 Links	\$107.63
36-3764	114 Links	\$109.58
36-3766	116 Links	\$111.48
36-3768	118 Links	\$113.42
36-3770	120 Links	\$115.32
36-3795	50' Roll	\$922.57
36-3797	100' Roll	\$1,789.80
36-9037	Clip Link	\$5.75
36-9237	Rivet Link	\$6.77

## 520GXW

## Ultra High Performance

## Sport/Road Race XW-Ring

PART#	LENGTH	RTL
36-8060	110 Links	\$111.55
36-8070	120 Links	\$121.67
36-8080	130 Links	\$131.80
36-8090	140 Links	\$141.98
36-8091	150 Links	\$152.08
36-8092	160 Links	\$162.23
36-8095	50' Roll	\$973.32
36-8097	100' Roll	\$1,888.37
36-9280	Rivet Link	\$9.23



# RK CHAINS

Chains are also stocked in ROLLS and can be cut to ANY length!

## GB520GXW Gold

Ultra High Performance  
Sport/Road Race XW-Ring

PART#	LENGTH	RTL
36-8350	100 Links	\$117.07
36-8354	104 Links	\$121.73
36-8360	110 Links	\$128.75
36-8362	112 Links	\$131.12
36-8364	114 Links	\$133.43
36-8366	116 Links	\$135.77
36-8368	118 Links	\$138.13
36-8370	120 Links	\$140.48
36-8380	130 Links	\$152.15
36-8390	140 Links	\$163.88
36-8391	150 Links	\$175.58
36-8392	160 Links	\$187.27
36-8395	50' Roll	\$1,123.80
36-8397	100' Roll	\$2,179.92
36-9283	Rivet Link	\$10.62

## 525 CHAIN

### RK-M 525

Standard

PART#	LENGTH	RTL
34-4158	108 Links	\$25.73
34-4160	110 Links	\$26.22
34-4162	112 Links	\$26.68
34-4164	114 Links	\$27.17
34-4166	116 Links	\$27.63
34-4168	118 Links	\$28.12
34-4170	120 Links	\$28.58
34-4195	50' Roll	\$228.72
34-4197	100' Roll	\$443.93
34-9041	Clip Link	\$1.13

### RK-M 525H

Heavy Duty

PART#	LENGTH	RTL
34-4360	110 Links	\$29.42
34-4362	112 Links	\$29.93
34-4364	114 Links	\$30.48
34-4366	116 Links	\$31.00
34-4368	118 Links	\$31.55
34-4370	120 Links	\$32.07
34-4395	50' Roll	\$256.57
34-4397	100' Roll	\$497.90
34-9043	Clip Link	\$1.50

## 525XS0

High Performance

Street/Sport RX-Ring

PART#	LENGTH	RTL
36-4436	86 Links	\$96.07
36-4440	90 Links	\$100.53
36-4450	100 Links	\$111.72
36-4452	102 Links	\$113.93
36-4454	104 Links	\$116.18
36-4458	108 Links	\$120.63
36-4460	110 Links	\$122.88
36-4462	112 Links	\$125.12
36-4464	114 Links	\$127.35
36-4466	116 Links	\$129.58
36-4468	118 Links	\$131.80
36-4470	120 Links	\$134.03
36-4472	122 Links	\$136.28
36-4474	124 Links	\$138.50
36-4480	130 Links	\$145.22
36-4490	140 Links	\$156.38
36-4491	150 Links	\$167.55
36-4495	50' Roll	\$1,072.35
36-4497	100' Roll	\$2,080.40
36-9044	Clip Link	\$4.83
36-9244	Rivet Link	\$6.25

## GB525XS0 Gold

High Performance  
Street/Sport RX-Ring

PART#	LENGTH	RTL
36-8750	100 Links	\$128.43
36-8756	106 Links	\$136.13
36-8758	108 Links	\$138.72
36-8760	110 Links	\$141.25
36-8762	112 Links	\$143.83
36-8764	114 Links	\$146.42
36-8766	116 Links	\$148.98
36-8768	118 Links	\$151.52
36-8770	120 Links	\$154.10
36-8772	122 Links	\$156.67
36-8774	124 Links	\$159.23
36-8780	130 Links	\$166.95
36-8790	140 Links	\$179.78
36-8791	150 Links	\$192.62
36-8795	50' Roll	\$1,232.83
36-8797	100' Roll	\$2,391.65
36-9087	Clip Link	\$5.55
36-9287	Rivet Link	\$7.17

## GB525GXW Gold

Ultra High Performance  
Sport/Road Race XW-Ring

PART#	LENGTH	RTL
36-8950	100 Links	\$175.38
36-8960	110 Links	\$192.93
36-8962	112 Links	\$196.43
36-8964	114 Links	\$199.93
36-8966	116 Links	\$203.45
36-8968	118 Links	\$206.97
36-8970	120 Links	\$210.47
36-8972	122 Links	\$213.70
36-8980	130 Links	\$227.72
36-8990	140 Links	\$245.23
36-8991	150 Links	\$262.73
36-8995	50' Roll	\$1,683.68
36-8997	100' Roll	\$3,266.35
36-9289	Rivet Link	\$11.05

## 530 CHAIN

### RK-M 530

Standard

PART#	LENGTH	RTL
34-5142	92 Links	\$22.37
34-5144	94 Links	\$22.87
34-5148	98 Links	\$23.82
34-5150	100 Links	\$24.32
34-5152	102 Links	\$24.80
34-5154	104 Links	\$25.28
34-5156	106 Links	\$25.77
34-5158	108 Links	\$26.28
34-5160	110 Links	\$26.77
34-5162	112 Links	\$27.23
34-5164	114 Links	\$27.72
34-5166	116 Links	\$28.20
34-5168	118 Links	\$28.70
34-5170	120 Links	\$29.18
34-5174	124 Links	\$30.15
34-5195	50' Roll	\$233.40
34-5197	100' Roll	\$452.92
34-9051	Clip Link	\$1.13

### RK-M 530H

Heavy Duty

PART#	LENGTH	RTL
34-5348	98 Links	\$26.67
34-5350	100 Links	\$27.22
34-5352	102 Links	\$27.78
34-5354	104 Links	\$28.30
34-5356	106 Links	\$28.87
34-5358	108 Links	\$29.38
34-5360	110 Links	\$29.93
34-5362	112 Links	\$30.48
34-5364	114 Links	\$31.03
34-5366	116 Links	\$31.57
34-5368	118 Links	\$32.12
34-5370	120 Links	\$32.65
34-5395	50' Roll	\$261.23
34-5397	100' Roll	\$506.88
34-9053	Clip Link	\$1.57

## 530KS

Heavy Duty (Non-O-Ring)

PART#	LENGTH	RTL
36-5350	100' Roll Links	\$62.88
36-5352	102 Links	\$64.13
36-5354	104 Links	\$65.42
36-5356	106 Links	\$66.68
36-5358	108 Links	\$67.90
36-5360	110 Links	\$69.20
36-5362	112 Links	\$70.43
36-5364	114 Links	\$71.70
36-5366	116 Links	\$72.97
36-5368	118 Links	\$74.22
36-5370	120 Links	\$75.47
36-5395	50' Roll	\$603.78
36-5397	100' Roll	\$1,171.32
36-9053	Clip Link	\$2.42

## 530DR

Heavy Duty

Drag Race (Non-O-Ring)

PART#	LENGTH	RTL
36-5258	108 Links	\$124.50
36-5260	110 Links	\$126.82
36-5262	112 Links	\$129.10
36-5270	120 Links	\$138.33
36-5280	130 Links	\$149.82
36-5290	140 Links	\$161.33
36-5291	150 Links	\$172.88
36-5292	160 Links	\$184.43
36-5293	170 Links	\$195.98
36-5297	50' Roll	\$2,146.58
36-9052	Clip Link	\$4.28

## 530XS0(Z1)

High Performance

Street/Sport RX-Ring

PART#	LENGTH	RTL
36-5538	88 Links	\$98.55
36-5542	92 Links	\$103.03
36-5544	94 Links	\$105.27
36-5546	96 Links	\$107.25
36-5548	98 Links	\$109.50
36-5550	100 Links	\$111.72
36-5552	102 Links	\$113.93
36-5554	104 Links	\$116.18
36-5556	106 Links	\$118.42
36-5558	108 Links	\$120.63
36-5560	110 Links	\$122.88
36-5562	112 Links	\$125.12
36-5564	114 Links	\$127.35
36-5566	116 Links	\$129.58
36-5568	118 Links	\$131.80
36-5570	120 Links	\$134.03
36-5572	122 Links	\$136.28
36-5576	126 Links	\$140.72
36-5580	130 Links	\$145.22
36-5590	140 Links	\$156.38
36-5591	150 Links	\$167.58
36-5595	50' Roll	\$1,072.35
36-5597	100' Roll	\$2,080.40
36-9055	Clip Link	\$4.83
36-9255	Rivet Link	\$6.25

## GB530XS0(Z1) Gold

High Performance

Street/Sport RX-Ring

PART#	LENGTH	RTL
36-8450	100 Links	\$128.43
36-8460	110 Links	\$141.25
36-8462	112 Links	\$143.83
36-8464	114 Links	\$146.42
36-8466	116 Links	\$148.98
36-8468	118 Links	\$151.52
36-8470	120 Links	\$154.10
36-8480	130 Links	\$166.95
36-8490	140 Links	\$179.78
36-8491	150 Links	\$192.65
36-8492	160 Links	\$205.45
36-8495	50' Roll	\$1,159.23
36-8497	100' Roll	\$2,391.65
36-9084	Clip Link	\$5.55
36-9284	Rivet Link	\$7.17



CHAIN &  
SPROCKETS

INDEX

DEALER

SUPPORT

HELMETS

MX APPAREL

GOGGLES &

EYEWEAR

MX /ATV

EQUIPMENT

HANDLEBARS

& GRIPS

STREET

ACCESSORIES

STREET

APPAREL

CHAIN &

SPROCKETS

BRAKES &

ROTORS

CLUTCHES

SUSPENSION

MIRRORS

MANUALS

LUGGAGE

CHEMICALS &

LUBES

MISC.

TIE DOWNS

SECURITY

ELECTRICAL

FILTERS

EXHAUST

TIRE &

WHEEL

ORDER

SHEET

**RK CHAINS** Chains are also stocked in ROLLS and can be cut to ANY length!**GB530GXW Gold**

Ultra High Performance

Sport/Road Race XW-Ring

PART#	LENGTH	RTL
36-8650	100 Links	\$198.67
36-8660	110 Links	\$218.53
36-8662	112 Links	\$222.53
36-8664	114 Links	\$226.45
36-8666	116 Links	\$230.47
36-8668	118 Links	\$234.42
36-8670	120 Links	\$238.38
36-8672	122 Links	\$242.35
36-8680	130 Links	\$258.28
36-8688	138 Links	\$274.13
36-8690	140 Links	\$278.13
36-8691	150 Links	\$297.98
36-8692	160 Links	\$317.83
36-8695	50' Roll	\$1,907.18
36-8697	100' Roll	\$3,699.93
36-9286	Rivet Link	\$11.05

**532 CHAIN****532GSV**

Ultra High Performance

Sport Bike RX-Ring

PART#	LENGTH	RTL
36-6950	100 Links	\$239.62
36-6952	102 Links	\$244.40
36-6954	104 Links	\$249.18
36-6956	106 Links	\$253.98
36-6958	108 Links	\$258.77
36-6960	110 Links	\$263.58
36-6962	112 Links	\$268.38
36-6964	114 Links	\$273.13
36-6966	116 Links	\$277.93
36-6968	118 Links	\$282.75
36-6970	120 Links	\$287.53
36-6972	122 Links	\$292.33
36-6980	130 Links	\$311.48
36-6995	50' Roll	\$2,300.23
36-6997	100' Roll	\$4,462.43
36-9069	Clip Link	\$7.63
36-9269	Rivet Link	\$10.00

**630 CHAIN****630SO**

High Performance

Street/Sport RX-Ring

PART#	LENGTH	RTL
36-7536	86 Links	\$126.33
36-7538	88 Links	\$129.25
36-7540	90 Links	\$132.23
36-7542	92 Links	\$135.15
36-7544	94 Links	\$138.07
36-7546	96 Links	\$141.02
36-7548	98 Links	\$143.95
36-7550	100 Links	\$146.92
36-7552	102 Links	\$149.82
36-7554	104 Links	\$152.78
36-7556	106 Links	\$155.72
36-7560	110 Links	\$161.60
36-7562	112 Links	\$164.53
36-7564	114 Links	\$167.48
36-7566	116 Links	\$170.40
36-7568	118 Links	\$173.35
36-7570	120 Links	\$176.30
36-7595	50' Roll	\$1,139.93
36-9075	Clip Link	\$5.78
36-9275	Rivet Link	\$7.48

**630GSV**

Ultra High Performance

Sport Bike RX-Ring

PART#	LENGTH	RTL
36-7736	86 Links	\$125.83
36-7738	88 Links	\$154.52
36-7740	90 Links	\$158.00
36-7742	92 Links	\$161.52
36-7744	94 Links	\$165.02
36-7746	96 Links	\$168.53
36-7748	98 Links	\$172.05
36-7750	100 Links	\$175.58
36-7752	102 Links	\$179.05
36-7754	104 Links	\$152.17
36-7756	106 Links	\$186.08
36-7760	110 Links	\$160.95
36-7770	120 Links	\$175.58
36-7795	50' Roll	\$1,362.23
36-9077	Clip Link	\$7.22
36-9277	Rivet Link	\$9.47

**RK Chain Tool KIT**  
Chain Breaker / Press Fit / Rivet Tool

- Cutting Pin made from SKH9 Tool Grade steel
- Durable Sure-Grip composite handle
- Includes compact hard storage case
- Lifetime warranty on tool body and handle
- Replacement parts available separately



A must-have for installing and cutting today's high performance, close tolerance chains!

Description	VL#	MFR#	Retail
<b>RK CHAIN TOOL KIT</b>	36-9296	UCT4060	\$139.95

**REPLACEMENT PARTS**

Description	VL#	MFR#	Retail
Large Pressure Bolt	36-9293	PB4060	\$32.62
Small Pressure Bolt	36-9294	PB4050	\$19.23
SKH9 Special Tool steel cutting pin	36-9297	CP4050	\$20.95
Cutting Pin Holder	36-9295	CP4050H	\$7.57
Rivet Flare Pin	36-9298	FP5060	\$12.77
Tail Piece for Chain Cutting, replacement	36-9299	TP4050	\$8.75
Tail Piece for Press Fitting, replacement	36-9292	TP4060	\$8.10



Great Value!

**EMGO HEAVY DUTY CHAIN BREAKER**

Works on all 420 thru 630 Chain.

Description	VL#	MFR#	Retail
H/D CHAIN BREAKER	61-3900	84-56420	\$27.53

**EMGO CHAIN RIVETING TOOL KIT**

Press Fit / Rivet Tool / Chain Breaker

- Works on standard or O-Ring style chains.



Description	VL#	MFR#	Retail
CHAIN RIVETING TOOL KIT	61-3910	84-56410	\$66.05
REPLACEMENT RIVET PIN 520/530	61-3911	84-56415	\$6.39