INDEX

DEALER SUPPORT

HELMETS

MX APPAREL GOGGLES & EYEWEAR

BRAKES & ROTORS CLUTCHES SUSPENSION MIRRORS MANUALS

LUGGAGE

MISC.

TIE DOWNS

SECURITY

FILTERS

EXHAUST

TIRE & WHEEL ORDER SHEET

ELECTRICAL

MTL TRANSMISSION LUBE XL-75wt/ R-80wt/ E-85wt

- Designed for use in 2 & 4 cycle transmissions Prevents clutch slippage.
- MTL's special formulation provides exceptional lubrication and wear protection.
- Safe for use on both aluminum and steel clutch plates.
- Gear Oil 75wt equals the viscosity of 20wt (125cc) motor oil, 80wt equals the viscosity of 30wt (250cc) and 85wt equals the viscosity of 40wt (enduro).
- Available in: Liter

w	VL#	<u>Size</u>	Retail
#	58-6262	75wt LITER	\$9.50
Ä	VL# 58-6262 58-6242 58-6222	80wt LITER	\$9.50
₫.	58-6222	85wt LITER	\$9.50

TRANSMISSION **& SUSPENSION**

CHAIN CASE LUBE

- 100% Synthetic chain case lube.
- Specially formulated for all high-performance snowmobiles and Polaris® ATV's.
- Reduced cold weather oil drag.
- Exceptional cold flow characteristics.
- Increases performance while extending normal chain and sprocket life in all riding conditions.
- Exceeds API GL-5 gear lubricant specifications.
- Available in: 16oz.

s,#L	VL# 58-6522	Size	Retai
AR	58-6522	16oz	\$10.50



PRIMARY CASE LUBRICANT

- 100% Synthetic primary case lube specifically designed for HarleyDavidson® motorcycles.
- Reduces clutch and fluid drag while lubricating gears, sprockets, chains and all critical primary case components.
- Superior film strength for greater protection.
- PAO synthetics provide decreased operating temperatures.
- Designed for use in all 1984 and later models with wet diaphragm spring clutches.
 - **Available in: Liter**





100% SYNTHETIC GEAR OIL 75w90

- Advanced 100% Ester-based Synthetic gear oil.
- For use in motorcycle and ATV's with shaft drive and hypoid gears.
- Also for use with separate transmissions and chain cases.
- Reduced friction provides smoother shifting.
- Exceptional anti-wear and rust & corrosion protection.
- Extra-long service drain intervals. Exceeds API GL-5 gear lubricant specifications.

PREMIUM GEAR OIL 80w 90

- High-quality mineral based gear oil.
- For use in motorcycles and ATV with shaft drive and hypoid gears
- Also for use with separate transmissions and chain cases.
- Reduces friction providing smoother shifting.
- Excellent anti-wear and rust & corrosion protection.
- Exceeds API GL-5 gear lubricant specifications.
- Available in: Liter

PART#'s	VL#	<u>Size</u>	Retail
2	58-6442	75w90 LITER	\$19.95
₽	58-6422	80w90 LITER	\$10.95



RACING FORK FLUID 5wt / 7wt / 10wt / 15wt

- Specially formulated for high-performance cartridge and standard-type forks.
- Contains special rust & corrosion inhibitors, anti-oxidants and anti-foam agents.
- Custom blended slippery agents provide uniform fork action and eliminate stiction.
- High viscosity index (150+ VI) fluid conditions seals.
- Provides consistent viscosity over a wide temperature range.
- Available in: Liter

	VL#	<u>Size</u>	<u>Retail</u>	
S	58-7422	5wt LITER	\$12.95	
PART#'s	58-7442	7wt LITER	\$12.95	
₹	58-7462	10wt LITER	\$12.95	
	58-7482	15wt LITER	\$12.95	



FORK OIL 5wt / 10wt / 15wt / 20wt

- Custom blended with special high-quality, high-viscosity index hydraulic oils.
- Special additives control foaming, oxidation, rust & corrosion and conditions seals.
- Fork Oil with Lubricinol reduces stiction.
- Available in: 16oz / Liter

VL#	<u>Size</u>	<u>Retail</u>	
58-7621	5wt 16oz	\$6.50	
58-7622	5wt LITER	\$9.95	
58-7641	10wt 16oz	\$6.50	
58-7642	10wt LITER	\$9.95	
58-7661	15wt 16oz	\$6.50	
58-7662	15wt LITER	\$9.95	
58-7681	20wt 16oz	\$6.50	
58-7682	20wt LITER	\$9.95	
	58-7621 58-7622 58-7641 58-7642 58-7661 58-7662 58-7681	58-7621 5wt 16oz 58-7622 5wt LITER 58-7641 10wt 16oz 58-7642 10wt LITER 58-7661 15wt 16oz 58-7662 15wt LITER	58-7621 5wt 16oz \$6.50 58-7622 5wt LITER \$9.95 58-7641 10wt 16oz \$6.50 58-7642 10wt LITER \$9.95 58-7661 15wt 16oz \$6.50 58-7662 15wt LITER \$9.95 58-7681 20wt 16oz \$6.50



- For today's high-tech shock absorbers.
- Very high viscosity index (350+ VI).
- Extremely low pour points.
- Reduces friction and control corrosion.
- Shock Fluid Light has the equivalent viscosity of all Japanese OEM shock fluids.
- Shock Fluid Heavy has the equivalent viscosity as Fox® and Ohlins® shock fluids.
- Available in: 32oz

	۰,	VL#	Size	Retail
	ŧ	58-7222	3wt 32oz	\$14.95
ļ	PAKI#'s	58-7242	7wt 32oz	\$14.95
i	2	58-7262	10wt 32oz	\$14.95



20

INDEX

DEALER SUPPORT

HELMETS MX APPAREL GOGGLES & EYEWEAR

MX /ATV FOUIPMENT

STREET ACCESSORIES

STREET APPAREL

CHAIN & SPROCKETS

BRAKES & ROTORS

CLUTCHES

SUSPENSION

MIRRORS

MANUALS

LUGGAGE

MISC.

TIE DOWNS

SECURITY

ELECTRICAL

FILTERS EXHAUST

TIRE & WHEEL

ORDER SHEET

MISCELLANEOUS



FUEL STORAGE STABILIZER

- Prevents the deterioration of fuel.
- Stops the formation of gum and varnish.
- Works with both gasoline and diesel fuels.
- Available in: 8oz/32oz

S	VL#	Size	Retail
PART#'s	58-8672	32oz	\$12.95
₹	58-8671	8oz	\$4.95

COOL-AIDE

Racing Coolant & Additive

- Approved for racing on paved surfaces
- Increases cooling capacity & efficiency
- Glycol, Nitrate, Amine, Borax Free!
- Protects against rust & corrosion
- For 2-cycle or 4-cycle liquid cooled engines
- 100% Biodegradable in its unused form
- Does not offer freeze protection
- Concentrate Treat Rate is 3%
- **Available in: 16oz Concentrate** & 64oz Ready-To-Use



s,#	VL#	Size	<u>Retail</u>
₽.	58-8651	16oz	\$8.95
PART;	58-8653	64oz	\$8.95



HI-TEST OCTANE BOOSTER

- Eliminates knocks and pings.
- One ounce per gallon effectively raises octane approximately 2 to 4 points.
- Legal for all racing applications.
- Will not discolor plastic gas tanks.
- Sold in special nylon-lined bottles.




WATERPROOF GREASE

- Multi-purpose lithium complex grease.
- Excellent resistance to water washout.
- Clings to metal surfaces under the most severe conditions.
- Saltwater resistant.

58-8621 16oz

- loads, extreme temperatures, moisture, rust & corrosion.
- Very high temperature grease suitable for disc brake application.





OUICK 2 MIX

\$8.95

Oil / Gas Mixing Bottle.

- Tough polypropylene graduated cylinder takes the work out of premixing.
- Allows for ease of measuring at various ratios.
- Provides gallon, liter, ounce and cc markings for accurate measurements.

w			
s,#	VL#	<u>Size</u>	<u>Retail</u>
₽.	58-9010	20oz	\$4.95

COOLANOL

Hi-Performance Coolant

- Premixed ready-to-use 50/50 blend of premium antifreeze and demineralized water.
- Protects your cooling system against cavitation, foaming, rust, corrosion.
- Provides lubrication to the water pump and seals.
- For use in aluminum and magnesium engines.
- Available in: 64oz

	l .		
s.#	VL#	Size	Retail
Α.	<u>VL#</u> 58-8643	64oz	\$15.50
- 26			



Break-In Oils

- Specifically designed for breaking in engines where elevated levels of antiwear additives are needed.
- 2X zinc formula
- Unsurpassed protection during engine break-in.
- Fully formulated 10w30

RT#'s	VL# 58-8802	<u>Size</u> 1 Liter	Retail \$8.95
2			

RACING DOT-4 HIGH TEMPERATURE BRAKE FLUID

- Extremely high 600°F wet & dry boiling point for racing applications.
- **Exceeds OEM Specifications**
- Hi-Temp synthetic brake and clutch formula.
- Mixes safely with all DOT 3, DOT 4, DOT 5 brake fluids
- · Flush all racing brake systems more frequently

DOT 5 SILICONE BRAKE FLUID

- Silicone based brake and clutch fluid.
- Dry boiling point of 500°F.
- Anti-vapor lock formula
- Use only where a silicone based fluid is specified
- NOT compatible with DOT 3 and DOT 4 brake fluid!
- Change fluid often for optimal performance

DOT 4 UNIVERSAL BRAKE FLUID

- Universal Hydraulic clutch and brake fluid
- Meets and exceeds all DEM specifications for glycol based fluids
- Offers excellent protection against moisture contamination
- Dry boiling point of 465°F. Mixes with other DOT 3 and DOT 4 brake fluids.

58-8811 DOT-4 12oz

Change fluid often for optimal performance.



	•	-		•
ဟ	VL#	Description	Retail	
RT#'s	58-8831	Race DOT-5 12oz	\$12.95	
œ	58-8821	DOT-5 1207	\$6.95	

\$14.95

INDEX DEALER SUPPORT

HELMETS

MX APPAREL

GOGGLES & EYEWEAR

CLUTCHES

MIRRORS

MANUALS

LUGGAGE

MISC.

TIE DOWNS

SECURITY

FILTERS

EXHAUST

TIRE & WHEEL ORDER SHEET

ELECTRICAL

SUSPENSION

LUBES ø

5 GALLON PAIL PUMP

- Most of Maxima's products are available in 5-gallon pails and 55-gallon drums.
- The 5-gallon pails are packed in a sturdy carton for easier and less costly UPS shipping.
- Both larger size containers offer the consumer exceptional price points.
- The economical plastic pump fits in all Maxima 5-gallon pails and 55-gallon drums.
- Call for info. & pricing 5 & 55 GAL drums

HAII

s,#L	VL# 58-9005	Description	Retai
PAR	58-9005	PUMP	\$37.95

CHAIN WAX

- Often imitated. Never duplicated.
- Americas #1 chain lubricant.
- High-performance chain lubricant for X and O-ring chains.
- Exclusive Parafilm™ formula sprays on as a liquid,
- enetrates and then sets up as a soft waxy film.
- utstanding rust & corrosion protectant.
- /ill not fling-off or attract dirt. or street & off-road use.

VL#	Net Wt.	Retail
58-8441	13.5oz	\$10.50
58-8440	5.5oz	\$6.95



CONTACT BRAKE CLEANER

- The best contact cleaner on the market.
- Displaces moisture and removes grease, oil and other
- Extra heavy propellant charge provides maximum spray
- Outstanding for use on all engine and suspension parts, carburetors, brakes, ignitions, spark plugs and much
- Environmentally friendly-Non-caustic, No CFC's.

s,#	VL# 58-8471	Net Wt.	Retail
씸	58-8471	13oz	\$6.95
₾.			

CLEAN-UP DEGREASER

- Multi-purpose spray-on degreaser and cleaner.
- An excellent foam air filter cleaner that washes out with water.

- Will also strip wax from painted surfaces.

w			
#	VL#	Net Wt.	Retail
7	58-8491	15.5oz	\$9.50
포	<u>VL#</u> 58-8491	15.5oz	\$9.





AIR FILTER CLEANER

- Rated #1 by Dirt Rider Magazine!
- Grease & oil removal
- Breaks down dirt
- Cleans both foam and fabric filter elements
- Easily washes out with water
- Do not use on plastic or Lexan® windshields!

VL# Net Wt. Retail 58-8261 15.5oz \$9.50 58-8263 64oz \$19.95	Net Wt. 15.5oz	<u>L#</u> 3-8261	RT#'s
58-8263 64oz \$19.95	64oz	-8263	2

AEROSOLS

SYNTHETIC CHAIN GUARD **CRYSTAL CLEAR FORMULA**

- 100% Sythetic Chain Lube
- Special crystal clear formula resists fling-off.
- Advanced technology allows lube to penetrate critical inner pins and rollers.
- Guards chain against rust & corrosion while minimizes the attraction of dirt.
- For street & off-road use.
- Safe for use on X- and O-ring chains.

S,#1	VL# 58-8422 58-8430	Net Wt. 15oz	Retail \$10.50
PA	58-8430	6oz	\$6.95



SPEED WAX

- All-in-one detailer cleaner.
- Soothing wax sets up quickly & easily wipes off smooth surfaces.
- Carnauba wax formula
- Brillant, long-lasting shine in seconds.



- Cleans suspension internally and externally
- Dries quickly and completely
- Leaves a residue free surface
- Will not remove most inks or printing
- Overspray will not harm o-rings or most seal materials

- 10			
RT#'s	<u>VL#</u> 58-8411	Net Wt.	Reta \$8.5
₹	00 0111	2002	ψ0.0



MPPL MULTI-PURPOSE PENETRANT LUBE

- A superior, all-purpose spray-on penetrating lubricant.
- Provides an excellent barrier against rust & corrosion.
- Great for displacing moisture or loosening rusted nuts and bolts.
- Will not harm plastic or painted surfaces.
- Excellent fogging oil and starting fluid for engines.

s.#	<u>VL#</u> 58-8481	Net Wt.	Retail
R	58-8481	20oz	\$8.95

SC1 CLEAR COAT

- Restores that factory shine.
- Cleans, polishes and conditions plastic, fiberglass and painted surfaces.
- Makes clean-up easier.
- to prevent mud and dirt from adhering to plastic.
- luster without attracting dirt and dust.





INDEX

DEALER SUPPORT

HELMETS MX APPAREL GOGGLES & EYEWEAR

MX /ATV EQUIPMENT

STREET APPAREL

CHAIN & SPROCKETS

BRAKES & ROTORS

CLUTCHES

SUSPENSION

MIRRORS MANUALS LUGGAGE

MISC.

TIE DOWNS

SECURITY

ELECTRICAL

FFT FOAM FILTER TREATMENT OIL

- Race proven synthetic foam filter treatment.
- Provides unequalled protection against the elements.
- Will not plug foam cells or migrate off of filters.
- Catches dirt and fine dust without restricting airflow.
- Dyed dark blue to ensure even coverage on all surface areas inside and out. Resists washout from carburetor fogging.
- Water-resistant. The ultimate air filter oil.

s,#	VL# 58-8222 58-8221	Size	Retail
₩.	58-8222	32oz	\$12.95
₹	58-8221	16oz	\$7.95



BIO WASH

Unique, biodegradable all-purpose cleaner.

\$8.95

- Safely & easily cleans your equipment.
- 50 state VOC compliant.



Net Wt. 58-8462 32oz





FAB1 SPRAY ON AIR FILTER OIL

- Same proven formula as FFT
- Advanced spray-on synthetic filter treatment
- May be used on foam and fabric filters.





K&N Sealing Grease provides an airtight fit around sealing surfaces on all types of air filter elements. It resists heat and will not melt or run off. K&N sealing grease is not to be used on clamp-on filter elements





Description 77-9932 99-0704 6 oz Squeeze Tube \$11.83

K&N AIR FILTER CLEANER AND DEGREASER

K&N Air Filter Cleaner is the only cleaner formulated to clean K&N Filtercharger elements. The use of any other cleaning solution can void the filter's warranty and quite possibly could damage the cotton material. K&N Cleaner works to dissolve the dirt build up and old filter oil, then washes away with water. It is biodegradable and safe on paint, chrome, cast aluminum, plastic, rubber and vinyl when used as directed. Complete instructions on bottle.

NOTE: Do not use on polished or anodized aluminum.

	NOTE: Do not use on polished of anouized alumin					
(A)	VL#	MFR#	Description	<u>Retail</u>		
Ě	77-9926	99-0606	12-fl. oz. Squirt Bottle	\$8.49		
¥	77-9928	99-0621	32-fl. oz. Squirt Bottle	\$13.06		
2	77-9929	99-0635	Description 12-fl. oz. Squirt Bottle 32-fl. oz. Squirt Bottle 1 gal. Refill	\$33.49		



K&N FILTERCHARGER OIL

K&N Air Filter Oil is the only oil specially formulated to work in combination with the cotton fabric in K&N Filtercharger® elements providing a superior air filtration system. When used as directed, it quickly penetrates the filter pleats, where it remains suspended in the cotton fabric. Saturation is maintained until the element is cleaned with K&N Air Filter Cleaner. Each come 12 per case.

s,#L	VL# 77-9912	MFR# 99-0504	Description 6.5 oz Aerosol Can 12 oz Aerosol Can 8 oz Squeeze Bottle	Retail \$8.18
AR	77-9916	99-0516	12 oz Aerosol Can	\$9.31
Ф.	77-9914	99-0533	8 oz Squeeze Bottle	\$5.87

K&N RECHARGER FILTER CARE SERVICE KIT (AEROSOL) A six-step maintenance system designed to recharge any

K&N Filtercharger® Air Filter. Completely restores air flow efficiency so your Filtercharger® performs Like New!

*Kit Includes: 6 1/2oz. Spray Oil, 12 oz. Filter Cleaner, Service Decal



77-9942 99-5000

Retail \$14.44

K&N RECHARGER FILTER CARE SERVICE KIT (SQUEEZE)

Same as 99-5000 except has squeeze oil bottle instead of spray can.

*Kit Includes: 8 oz. Squeeze Oil, 12 oz. Filter Cleaner, Service Decal



77-9944 99-5050

\$13.97

TIRE & WHEEL ORDER SHEET

FILTERS

EXHAUST